

## GDLS QUALITY CLAUSES and QUALITY PURCHASE REQUIREMENTS

---

**MATERIAL SUPPLIED TO PURCHASE ORDERS MUST BE IN ACCORDANCE WITH THE QUALITY  
CLAUSE REQUIREMENTS OUTLINED ON THE PURCHASE ORDER AS FOLLOWS:**

---

## TABLE OF CONTENTS

<b>QUALITY CLAUSES</b> .....	6
<b>Production Quality Requirements</b> .....	6
Forward.....	6
EQD2A.1 (09/16/20) GD Source Inspection.....	6
QG1A.4 (11/21/96) MIL-Q-9858 and ANSI/ISO 9000.....	6
QG2A.4 (11/21/96) MIL-I-45208 and ANSI/ISO 9000.....	7
QG3.3 (7/20/09) GDLS MINIMUM SYSTEM REQUIREMENTS.....	7
QG4.3 (05/07/2020) Commercial Requirements.....	7
QG5.3 (08/09/2022) C = O Sampling Plan.....	7
QG7.1 (7/22/11) Quality System Certification Requirement.....	7
QG8.0 (1/4/06) Supplemented Material Review Board.....	8
QJ21.2 (10/10/2019) Inspection Delegation.....	8
QJ22.0 (12/21/98) Commercial Packing List.....	8
QJ23.1 (01/07/20) Pre-approved Supplier Shipments.....	9
QJ7H.0 (10/5/98) Government GSI.....	9
QJ7M.0 (10/5/98) Merkava Customer Source Inspection.....	9
QJ8M (9/20/2011) Merkava Government Selective Evaluation (Merkava Only).....	10
QJ8.1 (1/18/88) Government Selective Evaluation.....	10
QK9.1 (1/19/99) QAP-Cert (Fill In).....	10
QK10.3 (1/7/20) Ballistic Steel Identification.....	10
QK11.2 (7/20/09) Test Data.....	11
QK12.1 (1/7/20) Engineering Prototype Sample Approval.....	11
QK14.1 (1/7/20) Engineering Prototype Commercial.....	11
QK16 (11/17/04) Key Characteristics.....	11
QK17.0 (4/4/2011) Ballistic Testing, Merkava Armor Castings.....	11
QK18.0 (5/2/2016) Inspection/Test Data Deliverable.....	12
QK19 (04/21/2021) ASTM A514 Certification to GDLS Material Specification....	12
QK20 (10/15/2021) Wire Harness and Cable Requirements.....	12
QK39 (10/15/2021) Wire Harness and Cable Destructive Testing.....	14
QK48.2 (1/7/20) Critical/Complex Components.....	14
QK49.1 (1/7/20) Supplier Procurement.....	15
QL22.7 (2/18/2020) Fasteners.....	15
QL31.1(7/20/09) Functional Test.....	15
QL41.1 (1/7/20) Inspection Cert - Jan Devices.....	15
QL42.0 (1/1/86) Inspection Cert - Nuclear Hardness.....	15
QL46.1 (1/7/20) CARC Paint Process Certification.....	15
QL48.0 (7/23/2020) MPF CARC Paint and MIL-PRF-14105 Process Certification.....	16
QL512.3 (1/7/20) 11655194 (or) MIL-STD 2000A.....	16
QL52.0 (1/1/86) TT-C-490/MIL-P-16232.....	16
QL6.1 (4/24/88) Consigned Material.....	16
QL81.0 (1/1/86) Radiographic.....	16
QL82.0 (1/1/86) Magnetic Particle.....	17
QL83.0 (1/1/86) Eddy Current.....	17
QL84.0 (1/1/86) Ultrasonic.....	17

QL85.0 (1/1/86) Dye-Penetrant.....	17
QL86.0 (5/13/10) Non Destructive Testing (NDT), Double-V Hull Plates .....	17
QL88.0 (1/19/11) Non Destructive Testing (NDT), Formed Armor .....	18
QP2.3 (10/15/2021) Shelf Life Requirement .....	18
QP41.6 (05/09/2007) Traceability - MS Fasteners (CAD).....	18
QP42.1 (4/7/16) Compression Set Test Results.....	18
QP43.2 (11-18-13) Traceability – High Strength Screws .....	19
QP44.1 (1/7/20) North American High Strength Fasteners.....	19
QP5.1 (12/7/06) Serialization Requirements .....	20
QP6.0 (1/1/86) Ordering Data Sheets .....	20
QP71.0 (1/1/86) Cleaning (SC-X14510).....	20
QP8.0 (7/10/09) Sub-contract Requirements .....	20
QP9.0 (7/10/09) Re-work Requirements.....	20
QP92.1 (2/24/99) Military Standard Hardware ID .....	20
QP93.0 (5/1/90) Packing Slip Requirement.....	21
QP94.1 (3/10/14) Foundry Control.....	21
QP95.0 (3/24/15) Item Unique Identification (IUID) per MIL-STD-130.....	21
QP96.0 (9/27/10) Intra-company Sourcing .....	21
QP97.0 (9/27/10) Incomplete Technical Data – long lead sourcing .....	21
QP98 (08/15/2019) Electronic Component Packaging .....	21
QW51.2 (9/25/19) Weld Specimens (SD-X SPECS) .....	23
QW8.2 (7/18/2012) Merkava Weld Standard 3030 .....	23
QX22.1 (10/16/12) Weldable Appurtenances.....	24
QX23.6 (1/7/20) Ballistic Steel Welding – GDLS-Canada Weld Standard .....	24
QX24.0 (7/10/09) Weld Inspection .....	25
QX25.0 (7/10/09) Repair and Overhaul.....	26
QX27.3 (1/7/20) Resistance Spot Welding .....	26
QX105.0 (12/7/11) Welding - Independent Test Lab .....	27
QX106.0 (12/7/11) Welding - JSMC Test Lab.....	27
QX111.3 (09/25/19) Weld Procedure - SD-X12141 .....	28
QX118.7 (09/25/17) Commercial Welding .....	28
QX1191.0 (09/25/19) AMS 2681 Electron Beam Welding .....	29
QX121 (11/06/19) Armor Welding (Steel, Aluminum, Titanium) – Excluding Namer, Stryker and LAV Family .....	30
QX14.4 (09/25/19) Weld Procedure - MIL-W-12332.....	31
QX17.4 (09/25/19) Weld Procedure - MIL-W-45210.....	32
QX47.0 (4/14/2011) Merkava Paint Application/Painter Qualification.....	32
QX57.2 (01/10/14) Brazing and Soldering.....	32
QY10.2 (1/7/20) FLOWCHART/CONTROL PLAN (FC/CP).....	33
QY11.1 (1/7/20) First Article Inspection (QCS-16) .....	33
QY12.1 (05/27/20) First Piece Inspection (QCS-16).....	34
QY14.1 (1/7/20) Merkava First Article Inspection .....	35
QY15.1 (10/10/2019) Material Compliance .....	35
QY16.0 (7/14/2021) APQP/PPAP .....	36
QY2.9 (11/29/18) FAT-QCS-4.....	36
QY2H.2 (9/26/01) First Article Test (HAB).....	36
QY3.7 (1/7/20) Control Test (QCS-4A).....	37

QY4.2 (12/15/88) Control Inspection .....	37
QY32.0 (7/25/00) Process Certification .....	37
ENGINEERING QUALITY REQUIREMENTS .....	38
EQA3 – Quality System .....	38
EQA4 – Approved Quality System .....	38
EQB9 – Certificate of Conformance (COC).....	38
EQB11 – Material Test Report (MTR).....	39
EQC4 – First Piece Inspection (FPI) Report .....	40
EQC5 – Electrical/Functional Test .....	40
EQD1 – Acceptance Test Procedure (ATP) & Acceptance Test Report (ATR) .....	41
EQD2 – Source Acceptance .....	42
EQE2 – Automated Test Equipment (ATE) Software Evaluation .....	43
EQF3 – Weld Inspection & Welder Certifications .....	43
EQJ1 – Calibration Certification .....	44
EQK3 – High Strength Fastener Certification .....	44
EQ118.7 Commercial Welding.....	45
EQ121.0 Armor Welding.....	46

REVISION HISTORY			
Revision	Description of Change	Author	Effective Date
5/13/10	Initial Release – conversion from web to PDF format	Shellnut	05/13/2010
5/17/10	Added QL86.0 clause and table of contents	Caulay	05/17/2010
5/27/10	Revised QL 86, re-instate QY-10	Caulay	5/27/2010
7/19/10	Various changes in red. Deleted old revisions: QJ7.1, QL22.4, QL512.1, QP2.0, QP2.1, QP41.5, QP43.0, QP5.0, QY2.7, QY2.8, QY2H.IR. Deleted Muskegon clauses: QG5.1, QW7.0 and QW6.0. Added London clauses. Added appendix and removed links in body of document and put in appendix, removed engineering revision date. Change weld submission from 10/6 or 4 weeks to 2 weeks	Gramlich/Shellnut	07/19/2010
9/30/10	Added QP96.0 and QP97.0, updated QX23.2, QX26.0 and QX118.3 with Canada contact information	Scheffler/Shellnut	09/30/2010
11/10/10	Update TOC, completely revised GDRS requirements, QL-87 cancelled and removed	Shellnut/GDRS	11/15/2010
12/09/10	Add QW8 clause. added date on footer	Caulay/Shellnut	12/10/2010
1/5/11	Add QY14	Caulay/Shellnut	1/05/2011
3/7/11	Revise ROB20 to add 80% life requirement and add ROB36	GDRS	3/7/11
4/4/11	Update QW8 and add new QK17	Caulay/Shellnut	4/4/11
4/7/11	Update Table of contents	Shellnut	4/7/11
4/20/11	Added QX47	Shellnut	4/20/11
8/4/11	Updates requested per Canada: Clause QG7 has been updated to be consistent within GDLS and reflect the Quality System Certifications for ISO and SAE. The Ballistic Steel clause has been updated to align with revision J of Quality Assurance Directive 25 involving Ballistic Steel Control	Scheffler	08/01/11
8/18/11	Remove *requalify comment from table of comments	Shellnut	8/17/11
8/30/11	Updates per Engineering to revision levels of individual clauses	Bulas/Shellnut	8/30/11
11/1/11	Add clause for Merkava: QJ8M & update QY14.0	Gramlich/Caulay	11/11/11
12/15/11	Added QP98, update welding clauses	Loeffler/Caulay	12/15/11
2/3/12	Removed QP98, added QX27, updated QX26 and QX118 per Canada's request	Scheffler	2/2/12

REVISION HISTORY			
Revision	Description of Change	Author	Effective Date
2/8/12	Updated QY-10 (removed QY-11 reference and replaced with FPI)	Gramlich	2/8/12
2/14/12	Added PQA3000 to QY-10	Shellnut	2/14/12
3/26/12	Added QP-98 and delete EFV clauses	Caulley	3/26/12
6/4/12	update QL-88	Caulley	1/20/2011
7/17/12	Added, QK48.0 and QX57.0, updated QX23.3, QX27.1 and QX118. Update to match GDLS-C Quality Clauses at rev N	Sheffler	7/03/12
7/23/12	Update QW8.2 AND QY-10	Shellnut	7/23/12
11/12/12	Updated QK48, QX22, QX23 & QX57 for Canada	Sheffler	11/12/12
5/30/13	Update per Robotics- ROB 05A. GDLS changed the website address	Jacobs	5/30/13
11/18/13	Updated QP43.2 to include metric and added additional wording for specifications that apply	Caulley	11/18/13
1/10/14	Addition of QJ23, update to QJ21, QX27, QX23, QX57 and QX118 (updates include documentation requirements, welding machines requirements and weld inspector qualifications)	Scheffler	1/10/14
3/10/14	Update clause: EQC1, EQC1ND, EQC7, EQC4ND, QP94 and added new EQF3 and QJ7M.0	Various	3/10/14
6/24/14	Update of Eng. Clauses EQC1, EQC1ND, EQC4, EQC4ND, EQA4, EQC2, EQC2ND, EQC5, EQC5ND	Bulas	7/14/14
3/9/15	Added QY15 at request of London	Scheffler	3/9/15
3/25/15	Update to QP95	Caulley	3/24/15
10/19/15	Added QK49 at request of London	Scheffler	10/19/15
3/22/16	Updated Table of Contents to include QP44 and changes QL22 remove ROB quality clauses	Shellnut/Caulley	4/1/2016
6/21/16	Update to QY11 and EQD2A, QP42 and QK 18	Fadoir/Caulley	6/21/16
2/15/17	Update QP98 and update typo's	Kuhlhoff	2/15/17
3/1/2017	Update for Eng Quality Clauses & Weld clause	Urban/Karas	3/22/17
10/12/2017	Update QX118	Fadoir	10/12/2017
6/14/2018	Remove QX26, QW5.3, QX117.3, QX16.4, QX18.4 and update QP98	Shellnut	6/14/2018
11/29/18	Update QX118 by removing typo, updated wording on QY2.9 by removing revision reference. Update Eng Quality Clauses: EQB9, EQC4, EQC5, EQD1, EQK3	Shellnut, Pastor, Willey, Urban	11/29/18
2/20/2019	Update QL22 at request of London to clarify requirements	Shellnut	2/20/2019
9/25/19	Update QP98 and add PQR comment in QW51.2, 53.2, 54.2, 55.1, QX 107, 11.3, 112.6, 113.4, 119.2, 1191.0, 12, 1201.1, 13.4, 14.4 and 17.4 and updates to QJ21, and QY15. Remove 52.2, wording on qx121, removing .extensions from all clauses	Fadoir/Shellnut/Karas	9/25/19
1/7/2020	Incorporation of QY11 updates for FAI language inclusion and added forward, added 9.8 in QP43, QL22 and EQK3	Fadoir/Shellnut	3/1/2020
5/7/2020	Updated QG4 with park marking statement and added QK19	Shellnut	5/7/2020
6/4/2020	Added QY12 and references to QY12 into applicable clauses.	Schafer	6/4/2020
9/17/2020	Update Eng. Quality clauses and EQD2A.1	Bulas	9/17/2020
11/24/2020	Update QK19	Caulley	11/24/2020
4/21/2121	Update QK19 (limit subcontracting ASTM A514 material	Shellnut	04/21/2121
06/17/2021	Fix typo in revision block	Shellnut	06/17/2021
07/22/2021	Remove the following weld clauses: QW53.2, QW54.2, QW55.1, QX107.1, QX112.6, QX113.4, QX116.2, QX119.2, QX12.0, QX1201.1, QX13.4 AND Add QY16 and QL48	Caulley/Stokes/Shellnut	7/28/2021
10/15/2021	Add QK20 and QK39. Update QP2.3 to reflect T & Cs.	Bonnar/Newall	10/15/2021
03/16/2022	Remove QG6; update Engineering weld clauses EQ118.7, EQ121.0, EQ23.6, remove EQF2	Bulas/Caulley	03/16/2022
08/09/2022	Update to QG5	Willey	08/08/2022

# QUALITY CLAUSES

## Production Quality Requirements

### Forward

Quality Clauses are meant to supplement and complement the existing Technical Data Package (TDP) provided by GDLS buyers. The Quality Clauses listed hereafter may refer to different part approval terminology (e.g. PPAP, FPI or FAI). For the current part approval processes and instructions, please refer to the latest revision of the PQA 3000 located on the GDLS supplier website at [www.gdls.com](http://www.gdls.com) or contact your local GDLS SQA Regional Manager.

### **EQD2A.1 (09/16/20) GD Source Inspection**

General Dynamics Land Systems source inspection/acceptance is required on this order. Source is to be completed prior to **EVERY** shipment of end item on this order. Supplier shall notify the buyer five (5) working days prior to start of acceptance test or inspection to allow for scheduling of a GDLS quality representative to be in attendance. The supplier shall have technical data (e.g. drawing, QAR, specification, certification, etc.) available for use in support of source inspection.

If supplier-developed automated test software is used as a means of functional product acceptance, the test software (not the firmware) must be approved by GDLS Quality Engineering & Test. Supplier instructions and requirements for test software review and validation are defined in GDLS document QCS-5. The test software shall be submitted to GDLS Quality Engineering & Test for review a minimum of 2 weeks prior to the scheduling GDLS source inspection.

### **QG1A.4 (11/21/96) MIL-Q-9858 and ANSI/ISO 9000**

Supplier must maintain a quality program that meets the requirements of MIL-Q-9858 dated 16 December 1963 with amendment 1, dated 7 August 1981 and MIL-STD-45662A dated 1 August 1988. Supplier, at their option, may implement the equivalent or better ANSI/ISO series standards (9001, etc) in lieu of the above listed MIL Spec/STD if such implementation is at no additional charge. These programs are subject to approval and/or periodic review by GDLS/government. GDLS contracted suppliers are responsible to document and control any portion of this contract that is performed by them and extend applicable portions of this contract to any tertiary suppliers.

#### **QG2A.4 (11/21/96) MIL-I-45208 and ANSI/ISO 9000**

Supplier must maintain a quality control system that meets the requirements of MIL-I-45208, dated 16 December 1963 with amendment 1, dated 24 July 1981 and MIL-STD-45662A dated 1 August 1988. Supplier, at their option, may implement the equivalent or better ANSI/ISO series standard (9001, 9002, etc.) in lieu of the above listed MIL Spec/STD if such implementation is at no additional charge. These systems are subject to approval and/or periodical review by GDLS/government. GDLS contracted suppliers are responsible to document and control any portion of this contract that is to be performed by them and extend applicable portions of this contract to any tertiary suppliers.

#### **QG3.3 (7/20/09) GDLS MINIMUM SYSTEM REQUIREMENTS**

Supplier must provide and maintain a Quality System that is acceptable to General Dynamics Land Systems and government. In addition, all measuring and test equipment used to inspect the items delivered against this contract shall be calibrated by the supplier utilizing standards whose calibration is certified as being traceable to the National Institute of Standards and Technology. These systems are subject to approval and periodic reviews by GDLS to determine acceptability. GDLS contracted suppliers are responsible to document and control any portion of this contract that is performed by either the contracted supplier or any tertiary supplier. In view of the above contracted suppliers are responsible for extending GDLS contract requirements to any tertiary supplier.

#### **QG4.3 (05/07/2020) Commercial Requirements**

The products provided shall meet the characteristics of this commercial catalog item, conform to the producer's own drawings, specifications, standards and quality assurance practices and be the same as offered for sale in the commercial market. All part marking requirements on GDLS drawings must be followed. General Dynamics reserves the right to require proof of such conformance.

#### **QG5.3 (08/09/2022) C = O Sampling Plan**

Suppliers and all sub-tiers will perform lot sampling per the reference in the PQA 3000 to a C=0 requirement. The PQA 3000 can be found at [www.gdls.com](http://www.gdls.com)

#### **QG7.1 (7/22/11) Quality System Certification Requirement**

The supplier must maintain a Quality Management System that is certified to AS9100 or an ISO Quality System Standard such as ISO 9001 or TS16949. The system is subject to approval and/or periodic review by GDLS/Government.



GDLS contracted suppliers are responsible to document and control any portion of this contract that is to be performed by them and extend applicable portions of this contract to any tertiary suppliers.

### **QG8.0 (1/4/06) Supplemented Material Review Board**

Limited material review board (MRB) approval is granted on this purchase order. This authority is limited to Class II nonconformance(s) that impact both internal Supplier and GDLS drawings. MRB is only allowed for minor dimensional characteristics which do not impact/violate the fit, form or function of the next higher level assembly or create a deviation to an approved ATP. This MRB authority does not encompass any changes to electronic components or circuitry control devices. A quarterly report will be provided to GDLS-SQA summarizing Class II MRB activities and the associated corrective actions. Government participation is not required for MRB.

### **QJ21.2 (10/10/2019) Inspection Delegation**

The supplier shall conduct all required inspections as agreed upon in accordance with supplier instruction contained in GDLS SQA/SCM Procurement Quality Assurance Handbook PQA 3000. The above shall be accomplished through the use of the GDLS approved delegate only who is responsible for the adequacy and accuracy of said inspection. Failure of GDLS to inspect the goods shall not limit any of GDLS's rights as included under the terms and conditions of this contract to recover damages from seller for supply of defective goods. This program is subject to termination with minimum notice for reasons defined in PQA 3000. All specified documents referenced in the purchase order (i.e. certifications, test reports, etc.) are not to be shipped with the product unless required by a quality clause. These records are to be maintained at the supplier's facility, under delegate control, and are subject to GDLS verification upon request. The records must be retained for a minimum of five (5) years after completion of deliveries and payment thereof under this purchase order unless the GDLS PO directs differently. This paragraph takes precedence over remaining quality requirement clauses for data submittals.

A GDLS issued Inspection Delegation stamp impression must be affixed on the packing slip of parts shipping to GDLS facility once compliance to PO and TDP requirements are confirmed.

### **QJ22.0 (12/21/98) Commercial Packing List**

This is a commercial item procured from a catalog source. The packing list shall state "commercially procured item" boldly in upper case characters on the face of the packing list/shipping document to preclude further inspection by the receiving facility. Failure to mark the packing list as instructed may result in the shipment



being inspected and/or rejected at the supplier's expense.

### **QJ23.1 (01/07/20) Pre-approved Supplier Shipments**

The supplier shall conduct all required inspections as agreed upon in accordance with supplier instruction contained in GDLS SQA/SCM Procurement Quality Assurance Handbook PQA 3000. Failure of GDLS to inspect the goods shall not limit any of GDLS's rights as included under the terms and conditions of this contract to recover damages from seller for supply of defective goods. All specified documents referenced in the purchase order (i.e. certifications, test reports, etc.) are not to be shipped with the product. These records are to be maintained at the supplier's facility and are subject to GDLS verification upon request. The records must be retained for a minimum of five (5) years after completion of deliveries and payment thereof under this purchase order unless the GDLS PO directs differently.

Suppliers will not be required to apply delegation stamp impression on shipper/packing slips for these part numbers, but must maintain GDLS First Article or First Piece Inspection approval (QCS-16 Form) for all product delivered to GDLS in accordance with Quality Clause QY11/QY12.

### **QJ7H.0 (10/5/98) Government GSI**

Government inspection is required prior to shipment from your plant. Upon receipt of this order, promptly notify the Government representative who normally services your facility so that appropriate planning for Government inspection can be accomplished. In the event the representative or office cannot be located, our purchasing agent should be notified immediately.

### **QJ7M.0 (10/5/98) Merkava Customer Source Inspection**

Israeli Ministry of Defense (IMOD) inspection and acceptance is required prior to shipment from your plant. Your GDLS Buyer must be notified 14 calendar days in advance of your availability to present material for IMOD inspection. All references to calendar days will take into account both parties' national and religious holidays. IMOD will schedule a visit within 7 calendar days following the end of the 14 day notification period of the supplier's availability to conduct the inspection or sooner if mutually agreed. Material presented for inspection must be in batches (defined as quantity of no fewer than 3 sets of the kit) ready for delivery. The scope of the inspection will include review of inspection

documentation, verification that configuration changes, if required, have been incorporated, and minimal physical inspection of hardware. For each Part Number defined on this purchase order, records documenting the results of the Control Plan inspections must be provided to IMOD and/or GDLS at acceptance.

No material may be shipped without IMOD acceptance and/or GDLS authorization.

### **QJ8M (9/20/2011) Merkava Government Selective Evaluation (Merkava Only)**

During performance on this order, your quality control or inspection system, manufacturing processes, and the acceptance plan unique to the Merkava product(s) may be subject to review, verification and analysis by authorized Israel Ministry of Defense representatives-Israel Ministry of Defense visits must be coordinated through a GDLS representative. Israel Ministry of Defense release of product prior to shipment is not required unless you are otherwise notified by General Dynamics.

### **QJ8.1 (1/18/88) Government Selective Evaluation**

During performance on this order, your quality control or inspection system and manufacturing processes may be subject to review, verification and analysis by authorized government representatives. Government release of product prior to shipment is not required unless you are otherwise notified by General Dynamics Land Systems purchase order supplement.

### **QK9.1 (1/19/99) QAP-Cert (Fill In)**

Special quality assurance requirements (QAR, QAP, SQAP, SPEC, etc) apply to the item(s) being procured under this contract. The supplier shall have documented objective evidence on file verifying conformance to specific characteristics referenced in the requirement. The objective evidence shall be made available to GDLS on request within a reasonable amount of time.

### **QK10.3 (1/7/20) Ballistic Steel Identification**

This item contains ballistic steel material. Ballistic steel material used in this item, must be sourced from a supplier that maintains ballistic steel plate cutting records. These records must identify the ballistic plate and associated mill certification (heat/melt and slab/plate codes), the part numbers and quantities that were cut from the plate, and the date on which the parts were cut.

Suppliers procuring cut ballistic parts for assemblies, must maintain procurement records indicating the part number, quantities, source and date. Sources used and records kept will be reviewed at First Article or First Piece Inspection.

#### **QK11.2 (7/20/09) Test Data**

Supplier shall have on file for each shipment a copy of the actual chemical test results, physical test results and/or test data as required. These results shall be made available to GDLS on request within a reasonable amount of time.

#### **QK12.1 (1/7/20) Engineering Prototype Sample Approval**

Supplier shall confirm TDP compliance according to item specific PS-FRM-3.2.55 form provided by buyer. Supporting compliance data shall be submitted prior to material shipment, to the GDLS-C ED&T Product Assurance contact identified on the form. Any deviations to the TDP require ED&T PA approval prior to shipment.

#### **QK14.1 (1/7/20) Engineering Prototype Commercial**

Items under this Purchase Order do not require GDLS specified quality inspections or documentation submittal. Product shall meet the Technical Data Package (TDP) requirements, and shall be verified according to the supplier's standard quality system requirements. GDLS reserves the right to require proof of such conformance. Any deviations to the TDP require ED&T Product Assurance approval prior to shipment.

#### **QK16 (11/17/04) Key Characteristics**

Attributes identified as Key Characteristics shall demonstrate a process capability of 1.33 Cpk or be inspected 100%. The supplier shall have documented objective evidence on file which supports the process capability of 1.33 or greater, or the actual inspection and/or test data as verification of conformance to the drawing key characteristics. The objective evidence shall be made available to GDLS on request within a reasonable amount of time.

#### **QK17.0 (4/4/2011) Ballistic Testing, Merkava Armor Castings**

Ballistic testing shall be conducted in accordance with Standard 2030. The supplier shall provide the GDLS buyer with a schedule for preparation of ballistic test samples in accordance with Standard 2030, including supplier-internal qualifications required prior to ballistic testing. Details on sample submittal (location, dates, etc.), will be provided by the GDLS buyer. GDLS and the Israeli

Ministry of Defense (MOD) reserve the right to witness/verify all aspects of the armor qualification process. The supplier will be notified by the GDLS Buyer if this option is exercised.

### **QK18.0 (5/2/2016) Inspection/Test Data Deliverable**

Supplier shall deliver with each shipment a copy of all inspection/test data required by item drawings and/or specifications.

### **QK19 (04/21/2021) ASTM A514 Certification to GDLS Material Specification**

This PO contains items using ASTM A514 material. If the ASTM A514 material thickness is equal to or greater than 1.25", the following conditions apply:

This material must be compliant to the most current revision of the LS1133576 specification. Suppliers of this contract shall require a valid GDLS ASTM A514 Process Approval Letter in order to perform under this contract which is valid for two (2) years from the approval date. The supplier is responsible for managing the expiry of the GDLS ASTM A514 Process Approval Letter. The supplier shall not subcontract the source of supply for this material; all material must be purchased directly from a mill or distributor approved by GDLS. Approved mills must supply their own material and are not allowed to procure or supply material from any other manufacturer for subsequent sale to General Dynamics. The approved source(s) of supply can be found on the GDLS ASTM A514 Process Approval Letter OR from GDLS buyer.

Supplier must maintain form# SCM 037 Steel Mill Traceability Report and present it to a GDLS Quality Representative at the time of FAI/FPI or Source Inspection in accordance with Quality Clause QY11, QY12, and EQD2A. GDLS Quality Representative must confirm form# SCM 037 has been updated completely for the parts being inspected and stamped for shipment to GDLS.

All A514 steel greater than or equal to 1.25" thick shall be procured only from GDLS approved manufacturers or distributors. Contact your GDLS Buyer for additional information or to confirm latest revision of LS1133576.

### **QK20 (10/15/2021) Wire Harness and Cable Requirements**

Supplier manufacturing facilities shall be reviewed and certified by GDLS-C. Only supplier facilities certified by GDLS-C are permitted to manufacture wire harness and cable assemblies in accordance with this clause. Certified supplier facilities must undergo an audit every two years, performed by GDLS-C Quality Engineering, to maintain certification status.

Wire harnesses and cables must meet all technical data package (TDP) requirements for components, assembly, process, inspection and testing; including applicable requirements from IPC/WHMA-A-620, IPC-A-640, and GDLS

harness fabrication specifications as specified in the TDP (e.g. 10727520, ES13452, etc). Quality Assurance Provisions (QAP) requirements must also be met where applicable.

The supplier shall maintain a training program for wire harness assembly and inspection personnel. All wire harness assembly and inspection personnel shall receive initial training before performing work under this clause, and additional periodic training on a continuing basis. The content of training shall be based on the standards for the harness being produced (e.g. IPC/WHMA-A-620).

Assembly Work Instructions are required for the assembly of wire harnesses and cables. The Work Instructions shall be in the supplier's own format but must reference specific IPC and/or GDLS harness fabrication specification sections for key operations as applicable.

A Control Plan is required for each wire harness and cable assembly. Suppliers may use their own format, but must follow the generally accepted industry Control Plan content. Reference sample Control Plan at

<http://www.gdls.com/suppliers/quality.html>

In-Process Secondary Inspection is required for wire harnesses and cables. Assemblers must have 100% wire harness secondary in-process inspection. The in-process inspection shall be conducted by a supplier's own internal secondary inspector prior to wire harness completion where key operations are not visible following harness close-out (including but not limited to: break outs, crimping, soldering, etc). Secondary in-process inspections shall be documented in the supplier's work instructions and/or job travelers (recommend including pictures, personnel sign-offs, etc).

Final inspection and testing of completed harnesses and cables is required for confirming TDP requirements (e.g. branch lengths, labeling, workmanship, continuity, resistance, etc). The final inspection process shall be documented and be included in the supplier's work instructions.

The supplier shall develop and maintain a data package in accordance with the above requirements. The data package shall be provided to GDLS-C at least two (2) weeks in advance of FPI/FAI. The data package submitted shall contain at a minimum:

- a) Training records for all assembly and inspection personnel performing work under this clause.
- b) Control Plan detailing work instructions, inspections and testing to be performed.
- c) Assembly Work Instructions for key operations in harness manufacture.
- d) In-process secondary and final inspection instructions
- e) Test plans for TDP-specified wire harness/cable testing

Forward data packages to the below address unless otherwise specified by GDLS-C.

Email: [qualityengineering@gdls.com](mailto:qualityengineering@gdls.com)

Subject: QK20, Part Number, Part Revision, PO Number

GDLS-C approval letter(s) are required for First Article or First Piece Inspection (FAI or FPI) acceptance and approval(s). Supplier shall have an approval letter for each specific part number or applicable down component, at the time of FAI/FPI. Wire harness approval letters are valid for (2) years from the approval date. The supplier is responsible for managing the expiry of the wire harness approval letters.

### **QK39 (10/15/2021) Wire Harness and Cable Destructive Testing**

The supplier shall have destructive testing completed on one (1) wire harness/cable sample from the initial production lot. The destructive testing shall be completed by one of the approved destructive testing facilities listed below. The destructive testing shall verify all technical data package requirements. A destructive test report from the approved facility shall be forwarded to GDLS-C Quality Engineering (qualityengineering@gdls.com) at least two (2) weeks in advance of FPI/FAI. If the destructive testing is deemed acceptable the supplier will be provided a QK39 approval letter from GDLS-C. The supplier shall have an approval letter for each specific part number, which shall be presented at the time of FPI/FAI for clause acceptance. Changes in design revision or production process may require new wire harness/cable destructive testing – contact GDLS-C Quality Engineering (qualityengineering@gdls.com) for direction and approval. Approval by similarity may be acceptable with GDLS-C Quality Engineering approval.

Approved destructive testing facilities:

MRO Electronic Supply Ltd.  
2240 Pegasus Rd NE  
Calgary, AB  
T2E 8G8

Alternative testing facilities may be considered and reviewed by GDLS-C for inclusion on this list. Alternative testing facilities shall only be used if approved by GDLS-C.

### **QK48.2 (1/7/20) Critical/Complex Components**

GDLS has designated this component as a Critical performance item or complex to manufacture. Supplier may be subject to and must demonstrate compliance with a specific process audit associated with this component.

GDLS will issue a clause approval letter, which is required for First Article or First Piece Inspection completion and approval. First Article or First Piece Inspection must be completed at the supplier's facility, prior to the acceptance of production material.

### **QK49.1 (1/7/20) Supplier Procurement**

This Item contains components to be sourced by the supplier, to which GDLS quality requirements apply. The First Article or First Piece Inspection submission for this item must include compliance evidence for all supplier sourced components that have GDLS quality requirements.

### **QL22.7 (2/18/2020) Fasteners**

Use of English series (Grade 5, or Grade 8 hexagon or socket head) or Metric Series (Class 8.8, 9.8, 10.9 hexagon head or Class 12.9 socket head) fasteners, within products supplied to General Dynamics Land Systems, must be from a manufacturer approved by GDLS. Fasteners will be plated as specified and results of all required tests shall be maintained on file and available.

Additionally, your receiving inspection criteria shall include a verification of approved logo head markings to a 0.04% AQL sample as outlined in MIL-STD-105, however, acceptance is C=0. Hexagon head cap fasteners must be identified with proper grade symbol markings and shall be marked with the manufacturer's identification head logo.

### **QL31.1(7/20/09) Functional Test**

Supplier shall furnish a certification with each shipment to indicate that the test requirements have been complied with and actual tests results are on file and available upon request. Certification must include signature, date and title of responsible supplier representative and specifically identify the shipment it relates to including serial number if applicable, for instance, by reference to the shipper number.

### **QL41.1 (1/7/20) Inspection Cert - Jan Devices**

Supplier shall comply with MIL-S-19500 documentation requirements for traceability. Copy of certification of Jan Devices must be maintained on file and be available upon request.

### **QL42.0 (1/1/86) Inspection Cert - Nuclear Hardness**

Supplier shall comply with nuclear hardness requirements specified in the technical data package. All required certification documentation must be maintained on file and be available upon request.

### **QL46.1 (1/7/20) CARC Paint Process Certification**



The CARC process applied to this item requires certification to demonstrate compliance to the TDP requirements. Paint certification requirements as outlined in GDLS-C Form 4707, shall be submitted with First Article or First Piece Inspection for GDLS approval.

#### **QL48.0 (7/23/2020) MPF CARC Paint and MIL-PRF-14105 Process Certification**

The CARC process applied to this item requires certification to demonstrate Technical Data Package (TDP) compliance. Paint certification requirements per GDLS-US-4708 (CARC Process and Heat Resistant MIL-PRF-14105 Certification) shall be submitted during First Article Inspection for GDLS approval.

#### **QL512.3 (1/7/20) 11655194 (or) MIL-STD 2000A**

Soldering shall be in accordance with either MIL-STD-2000A, TACOM soldering process specification 11655194, ANSI/J-STD-001B or other commercial soldering standards with the contractor's approval.

#### **QL52.0 (1/1/86) TT-C-490/MIL-P-16232**

Supplier shall maintain inspection records indicating quantity accepted/rejected in accordance with MIL-P-16232, DoD-P-16232 and/or TT-C-490. These inspection records shall be traceable to each lot of material so processed and shall be available for GDLS or government review upon request. The pre-production approvals cited are not required to be submitted to GDLS, however, the procedure approval must be documented and maintained at your facility.

#### **QL6.1 (4/24/88) Consigned Material**

The supplier shall be required to furnish a certification with each shipment whenever the material furnished by the buyer has been replaced or substituted during the manufacturing operations.

The certification, when required, shall state the material and/or chemical composition of the material substituted and shall include signature, date, and title of supplier representative and specifically identify the shipment it relates to; for instance, by reference to the shipper number.

#### **QL81.0 (1/1/86) Radiographic**

Supplier shall control radiographic inspection equipment and personnel, including the certification and qualification to the specification. Records shall be maintained for all personnel certified, indicating the date of certification and objective

evidence of examination. Records shall be made available upon request.

#### **QL82.0 (1/1/86) Magnetic Particle**

Supplier shall control magnetic particle inspection equipment and personnel, including the certification and qualification to the specification. Records shall be maintained for all personnel certified, indicating the date of certification and objective evidence of examination. Records shall be made available upon request.

#### **QL83.0 (1/1/86) Eddy Current**

Supplier shall control eddy-current inspection equipment and personnel, including the certification and qualification to the specification. Records shall be maintained for all personnel certified, indicating the date of certification and objective evidence of examination. Records shall be available upon request.

#### **QL84.0 (1/1/86) Ultrasonic**

Supplier shall control ultrasonic inspection equipment and personnel, including the certification and qualification to the specification. Records shall be maintained for all personnel certified, indicating the date of certification and objective evidence of examination. Records shall be made available upon request.

#### **QL85.0 (1/1/86) Dye-Penetrant**

Supplier shall control dye-penetrant inspection operations including the certification and qualification to the specification. Records shall be maintained for all personnel certified, indicating the date of certification and objective evidence of examination. Records shall be made available upon request.

#### **QL86.0 (5/13/10) Non Destructive Testing (NDT), Double-V Hull Plates**

Supplier shall conduct either dye penetrant inspection (per ASTM E165), or magnetic particle inspection (per ASTM E1444) on the tension side of all formed radii for each item produced. Any indication of a crack shall be cause for rejection. The GDLS buyer shall be notified immediately.

Supplier shall control NDT operations including certification and qualification, as required, to ASTM E165 and/or ASTM E1444. Records shall be maintained for all personnel certified, indicating the date of certification and objective evidence

of examination. Records shall be made available upon request.

### **QL88.0 (1/19/11) Non Destructive Testing (NDT), Formed Armor**

If forming is performed following final quenching and tempering operations, the supplier shall conduct either dye penetrant inspection (per ASTM E165), or magnetic particle inspection (per ASTM E1444) of the formed area for each item produced. Any linear indication shall be cause for rejection. The GDLS buyer shall be notified immediately. Supplier shall control NDT operations including certification and qualification, as required, to ASTM E165 and/or ASTM E1444. Records shall be maintained for all personnel certified, indicating the date of certification and objective evidence of examination. Records shall be made available upon request.

### **QP2.3 (10/15/2021) Shelf Life Requirement**

The seller shall identify those items and/or assemblies, which have a shelf life requirement, in accordance with the Shelf Life clause in the Purchase Order Terms and Conditions.

### **QP41.6 (05/09/2007) Traceability - MS Fasteners (CAD)**

Grade 5/Grade 8 hex head and socket head fasteners, with equivalent Grade 5 and Grade 8 chemistry, shall be purchased directly from only those manufacturers approved by GDLS. Approved manufacturers must supply fasteners of their own manufacture only and are not allowed to procure or supply fastener from any other approved North American manufacturer for subsequent sale to general dynamics.

Fastener supplier shall furnish a certification with each shipment that documents the actual material chemistry, core hardness, or tensile strength (per I or SAE J-429 for hex head or section 3 of FF-S-86E for socket head fasteners) and plating requirements specified in Purchase Order. The laboratory test sampling size shall be performed in accordance with section 7.3 of SAE J-429.

Subsequent lot shipments covered under this purchase order will be accepted with a copy of the original laboratory results provided the fasteners originated from the initial raw material production run.

### **QP42.1 (4/7/16) Compression Set Test Results**

The supplier shall maintain actual compression set test data for each purchase order shipment to General Dynamics Land Systems per the requirement of the applicable material specification. In addition, the specific compression set test results shall be subject to random audits by GDLS at supplier's facility and shall be presented to GDLS representatives upon request.

### **QP43.2 (11-18-13) Traceability – High Strength Screws**

Grade 5 and Grade 8 English series and Metric series Classes 8.8, 9.8, 10.9, and 12.9 hex head and socket head fasteners shall have documentation confirming the chemical and mechanical properties meet the requirements for heat treated alloy steel as specified in the applicable procurement specification.

Fasteners shall be purchased directly by GDLS or from distributors that purchase directly from manufacturers approved by GDLS. Approved manufacturers must supply fasteners of their own manufacture and are not allowed to procure or supply fasteners from any other manufacturer for subsequent sale to General Dynamics.

Fastener suppliers shall furnish a certification with each shipment that documents the actual material chemistry, core hardness, or tensile strength (per applicable specifications SAE J429, ASTM A354, SAE J1199, ASTM F568M, ASTM A574, ASTM A574M, FF-S-85, or FF-S-86), and finish requirements as specified on the applicable drawing or Purchase Order.

Subsequent lot shipments covered under this purchase order will be accepted with a copy of the original laboratory results provided the fasteners originated from the initial raw material production run.

### **QP44.1 (1/7/20) North American High Strength Fasteners**

All high strength fasteners offered for sale to GDLS-C shall conform to the requirements of Form 4496. Bulk fasteners shall include the Declaration (Form 4496, Appendix A) or Certification (Form 4496, Appendix B) in the First Article or First Piece Inspection submission.

Fasteners offered for sale to GDLS-C within assemblies shall conform to the following sections of Form 4496:

- A) No high strength fasteners are contained within the assembly. The First Article or First Piece Inspection submission shall include a declaration (Form 4496, Appendix A), or
- B) High strength fasteners are contained within the commercial item assembly. The First Article or First Piece Inspection submission shall include a certification (Form 4496, Appendix C) stating that the supplier's quality control system for fasteners meets the intent of Form 4496, section 2.0, or
- C) High strength fasteners are contained within the non-commercial item assembly. The First Article or First Piece Inspection submission shall include a certification (Form 4496, Appendix D) stating that the supplier's

quality control system for fasteners meets all the requirements of Form 4496, section 2.0.

#### **QP5.1 (12/7/06) Serialization Requirements**

Each unit supplied on this purchase order must be permanently marked with a unique serial number which consists of any combination of numbers and letters. Alpha and numeric letters must be clearly distinguishable (ex. 2 and Z, 1 and I, 0 and O, etc.) The supplier must insure that serial numbers are not duplicated for previous or future shipments of the same part number. The supplier must submit their planned serial numbering sequence to the buyer for approval prior to serial numbers being applied. The numbering sequence must be approved by the buyer on the initial purchase order and for any subsequent purchase order where the supplier intends to change the sequence of serial numbers.

#### **QP6.0 (1/1/86) Ordering Data Sheets**

Supplier shall comply with specific ordering data sheet requirements specified in this technical data package.

#### **QP71.0 (1/1/86) Cleaning (SC-X14510)**

1. Per paragraph 4.2.2.3 of SC-X-14510 each unit shall be cleaned for compliance to requirements of paragraph 3.2.2.3.

#### **QP8.0 (7/10/09) Sub-contract Requirements**

All Quality Requirements of the Statement of Work (SOW) apply to this purchase order.

#### **QP9.0 (7/10/09) Re-work Requirements**

Rework product to new condition and upgrade to the specified revision. Any deviations from the specified design configuration will require prior authorization.

#### **QP92.1 (2/24/99) Military Standard Hardware ID**

Supplier shall furnish standard hardware to the drawing revision level as indicated in the purchase order and/or technical data/drawing package. If no revision level is specified for technical data/drawing package provided, parts must be supplied to the latest revision level established by design agencies as of the date of this purchase order.

### **QP93.0 (5/1/90) Packing Slip Requirement**

Packing slips must be numbered and depict the following information: Purchase order number, line item number, quantity, part number, drawing number, revision letter and date, ECP number(s), and waiver number(s) if applicable.

### **QP94.1 (3/10/14) Foundry Control**

Foundry control and production x-ray technique approval is required by GDLS Materials Engineering & Survivability in accordance with paragraph 3.1.8 of specification 12292537. Approval must be obtained prior to initial shipment of castings on this purchase order. Foundry control/production x-ray technique documentation shall be submitted to the GDLS buyer for internal distribution to GDLS Materials Engineering & Survivability.

### **QP95.0 (3/24/15) Item Unique Identification (IUID) per MIL-STD-130**

The supplier shall apply Machine Readable Information (MRI) marking per MILSTD-130 to each item produced. Marking shall include, but not be limited to, manufacturer CAGE code, original part number and serial number (if serialization is required by drawing or specification). The supplier shall demonstrate 2D Data Matrix Symbol readability via a verifiable automatic identification device.

### **QP96.0 (9/27/10) Intra-company Sourcing**

This is a GDLS intra-company purchase order. GDLS manufacturing plant Quality System Requirements apply to the material sourced under this purchase order.

### **QP97.0 (9/27/10) Incomplete Technical Data – long lead sourcing**

Material cannot be delivered under this purchase order. The technical data package is incomplete. Quality Clause requirements will not be assigned until the technical requirements are fully defined, after which the purchase order will be revised.

### **QP98 (08/15/2019) Electronic Component Packaging**

All solder-mountable circuit card components (through-hole and surface mount), including printed wiring boards, shall be packaged per the following specifications:

**Surface Mount:** All surface mount components shall be packaged in accordance with EIA-481. Irregular configuration or heavy parts that are not readily packaged

in tape form may be packaged in carrier waffle trays. Parts in trays shall be aligned similarly with the tray being of a configuration that prevents misorientation when handling in a closed state (i.e. a tray designed for that part package configuration). Trays shall be no larger than 35cm L x 25cm W. Parts shall not be supplied in tubes. Any parts supplied on cut tape shall have leader and trailer lengths as specified in EIA-481. Plastic tape is preferred over paper tape. Embossed tape is preferred over punched tape.

Any components requiring larger than **104** mm tape, shall be supplied in a carrier waffle tray per the applicable EIA and JEDEC specifications. **All components shall have vacuum pick-up features (either integral or installed) to support machine placement.**

**Through-hole Components:** Through-hole components shall **NOT** be provided in bulk packaging. Components are to be supplied tape and reel, tube or tray.

**Printed Wiring Boards:** When the Technical Data Package (TDP) includes a Panel drawing, the PWB's will be supplied as panels per that drawing. The Panel drawing and "read me" text (.txt) note must be included in the inspection criteria and measurement data presented for Quality acceptance. Panelized boards shall not be broken out. X-outs in panelized boards shall have no more than (1) X-out board per panel. X-out boards shall not be allowed on 2-board, and 3-board panels. All X-out panels shall be organized such that similar X-out configurations are packaged together. All PWBs shall be dry-packaged in accordance with J-STD-033 and not exceed 3 inches in height per package.

NOTE: In addition to these requirements, any subordinate requirements (e.g., ESD, Moisture Sensitive) shall also apply as required by the component.



### **QW51.2 (9/25/19) Weld Specimens (SD-X SPECS)**

Weld specimens shall be furnished for new welding procedure specifications (WPS) or when procedure parameters are outside previously approved limits. Weld specimens and Procedure Qualification Record (PQR), as applicable, shall be furnished to the address listed below at least two (2) weeks in advance of production welding. Following (WPS) approval, the "weld specimens and "approved procedure" will be returned is to be maintained by the supplier during the terms of the contract. Supplier shall have an approval letter for each specific part number, and shall be presented at the time of first piece inspection. Approval letter(s) are required for first piece inspection acceptance and approval(s). For all parts that have been in continuous production and have not been affected by design changes, resubmission of weld specimens shall not be required unless the previously approved procedure is rejected.

General Dynamics Land Systems Lima Assembly Tank Plant 1161 Buckeye Road Lima, Oh 45804 Attn: Material Control Laboratories
---

### **QW8.2 (7/18/2012) Merkava Weld Standard 3030**

All welding shall be performed in accordance with Standard 3030 to the specific Grade specified. If no specification or Grade is specified, welding shall be performed to Standard 3030, Grade 4. All weld symbology shall be interpreted to ISO2553. Unless otherwise specified, fillet weld size shall be interpreted as "a" (throat). Certification tests referenced in Standard 3030 and the welding procedure specification, weld specimens and test report shall be submitted to the address listed below per the 3-stage process outlined in Standard 3030, prior to initiation of production welding. Welders shall be qualified in accordance with Standard 3030, and all applicable welder certification/recertification shall be maintained throughout the production build. Welders' certifications shall be attached to the welding procedure specification. GDLS and the Israeli Ministry of Defense (MOD) reserve the right to witness/verify all aspects of the weld qualification process. The supplier will be notified by the GDLS Buyer if this option is exercised.

General Dynamics Land Systems Lima Assembly Tank Plant 1161 Buckeye Road Lima, Oh 45804 Attn: Material Control Laboratories
---

### **QX22.1 (10/16/12) Weldable Appurtenances**

Item shall be free of mill scale, rust and oil free.

Only water-soluble coolants, tapping fluids, etc. should be used during processing. It is required that these process fluids leave a rust-inhibiting residue when the fluid dries. If hydrocarbon coolants, tapping fluids, etc. are used, they must be followed by a post-cleaning step. The post cleaning step must consist of a hot alkaline cleaner that is based on fatty acids or amines.

Packaging must be accomplished in such a way that rusting will be minimized. Examples are sealed plastic bags in boxes, or wax-lined boxes.

### **QX23.6 (1/7/20) Ballistic Steel Welding – GDLS-Canada Weld Standard**

Only suppliers approved to perform ballistic welding by GDLS-C are permitted to weld ballistic assemblies in accordance with this clause. Approved suppliers must undergo an annual audit, performed by GDLS-C Quality Engineering, to maintain certification status. Weld joints within this assembly are to be qualified, implemented, and inspected in accordance with the current version of the GDLS-C Weld Manual 10703626.

Drawings which do not reference 10703626 must be reviewed/approved by GDLS-C Engineering prior to welding armour steel. For weld joints which do not contain armour steel, refer to Quality Clause QX118 or consult the GDLS-C contact at [ppap.fpi@gdls.com](mailto:ppap.fpi@gdls.com).

Only welders with a current GDLS-C D-0040 Weld Certification may weld this material.

Weld inspectors responsible for acceptance or rejection of material and workmanship must be trained and certified in accordance with the GDLS-C Weld Inspection Training Program. Each GDLS-C weld inspector certificate is valid for a 5 year period.

These weld inspectors shall also hold current certification to one of the following options:

- (1) Certification as an AWS Certified Welding Inspector (CWI) in conformance with the provisions of AWS QC1, *Standard for AWS Certification of Welding Inspectors*, or
- (2) Qualification by the Canadian Welding Bureau (CWB) in conformance with the requirements of the Canadian Standard Association (CSA) Standard W178.2, *Certification of Welding Inspectors*, with the exception that a Level I weld inspector must work under the supervision of a Level II or III weld inspector whom is also certified in accordance with the GDLS-C Weld Inspection Training Program.

GDLS-C or GDLS-JSMC approval letter(s) are required for First Article or First Piece Inspection (FAI or FPI) acceptance and approval(s). Supplier shall have an approval letter for each specific part number or applicable down component, at the time of FAI/FPI in accordance with Quality Clause QY11/QY12. The supplier

shall submit a weld Certification/Warrant for each first new part produced to the address listed below. GDLS-C or GDLS-JSMC will respond with a Weld Approval Letter for inclusion in the FAI/FPI.

Heat Affected Zone Criteria (HAZ): The rework or addition of any ballistic weld joint outside of the print specified location is not permitted; the supplier shall consult GDLS for MRB approval prior to any such rework. Rework examples include but are not limited to: mislocated / translated appurtenances or welds, stray welds, arc strikes, and additional welds not mandated by the TDP.

GDLS-Canada Originating Contracts/Purchase Orders Emails: <a href="mailto:ppap.fpi@gdls.com">ppap.fpi@gdls.com</a> (Canada) Subject: QX23, Part Number, Part Revision. PO Number
---

GDLS-SHC/JSMC Originating Contracts/Purchase Orders Emails: <a href="mailto:weldlab@gdls.com">weldlab@gdls.com</a> (USA) Subject: Part Number, Part Revision, PO Number
---

## QX24.0 (7/10/09) Weld Inspection

- 1) All welds on items in this contract shall be visually inspected by Certified AWS or CWB Welding Inspectors. Weld inspectors shall:
  - i. Hold current or previous certification as an AWS Certified Welding Inspector (CWI) in conformance with the provisions of AWS QC1 (Standard and Guide for Qualification of Welding Inspectors).
  - or
  - ii. Hold current or previous certification by the Canadian Welding Bureau (CWB) in conformance with the requirements of the Canadian Standard Association (CSA) Standard W178.2 (Certification of Welding Inspectors).

Inspection shall be conducted in accordance with the governing weld specification identified in the TDP. When no weld specification is identified the requirements shall be governed by AWS D1.1 for steel, AWS D1.2 for aluminum, or AWS D1.6 for stainless steel. Copies of inspector certifications shall be provided for FAI/FPI review; verification inspection reports shall be retained by the contractor and made available upon request.

## 2) Weld Inspection NDT Quality Control Plan:

Supplier shall develop an NDT Quality Control Plan to be submitted with FPI. Welds on items shall be verified by Liquid Penetrant Testing. Penetrant testing shall be conducted in accordance with ASTM E 165 (Standard Test Method for Liquid Penetrant Examination) and ASTM E 1417 (Standard Practice for Liquid Penetrant Testing). Personnel performing penetrant testing shall be qualified in conformance to SNT-TC-1A, Mil-Std-410, NAS410, or ANSI/ASNT CP-189, and be certified to NDT Level II. Personnel performing penetrant inspection need not be certified

under AWS QC1 or CSA W178.2. Copies of personnel certifications shall be provided for FPI review; penetrant testing reports shall be retained by the contractor and made available upon request.

Magnetic Particle Testing may be conducted in lieu of penetrant testing, subject to GDLS approval. Magnetic particle inspection shall be conducted in accordance with ASTM E 1444 (Standard Practice for Magnetic Particle Examination).

### **QX25.0 (7/10/09) Repair and Overhaul**

This clause applies to customer owned material for Repair Only. Upon completion of repair, the supplier shall return the item, together with:

- A) a report indicating work performed to bring material to usable condition.
- B) a Certificate Of Conformance indicating compliance to specification(s) and completion of repaired item functional testing to original test procedure(s).
- C) appropriate test results and/or measurements supporting requirement (b) above shall be submitted with the shipment, unless otherwise specified.

Shipments must include the documentation required by this clause.

### **QX27.3 (1/7/20) Resistance Spot Welding**

Resistance spot weld joints within this assembly are to be qualified, implemented, and inspected in accordance with the Technical Data Package (TDP). When there is no weld specification identified the supplier shall contact the buyer for direction.

When AWS C1.1 applies, the procedure certification test report for each machine used in production shall contain at least two Metallographic tests per AWS C1.1, Clause 4.9. Weld quality evaluation criteria shall be per AWS D8.7, Clause 5. Results shall be recorded within the resistance welding data sheet (Figure 34 of AWS C1.1) and signed/dated by the manufacturer.

A weld qualification data package consisting of the following elements shall be maintained by the supplier. Minimum data package requirements shall be furnished to the appropriate client address listed below, at least two (2) weeks in advance of production welding. Any changes to resistance welding data sheet(s) parameters require resubmission.

Supplier shall have an approval letter for each specific part number, and shall be presented at the time of First Article or First Piece Inspection. Approval letter(s) are required for First Article or First Piece Inspection approval(s).

The resistance spot weld data package shall contain at a minimum:

1. Weld Map, detailing which data sheet(s) apply to each weld joint.
2. Resistance Welding Data Sheet(s).
3. Procedure Certification Test Report(s).
4. Machine Qualification Test Report(s), as applicable to TDP.

The following elements shall be provided upon request:

5. Visual inspection criteria/instructions in place.
6. Weld re-work instructions in place.

The weld qualification data package shall be submitted to the appropriate client:

GDLS-C Originating Contracts
Email: <a href="mailto:ppap.fpi@gdls.com">ppap.fpi@gdls.com</a>
Subject: QX27, Part Number, Part Revision, PO Number

### **QX105.0 (12/7/11) Welding - Independent Test Lab**

Welding qualified at independent lab: hardware shall be welded using a welding process qualified by General Dynamics as defined in the supplier instructions QCS 83-9 and fabricated in accordance with specification \_\_\_\_\_. Weld samples shall be submitted to an independent lab for required testing. Supplier shall have an approval letter for each specific part number, and shall be presented at the time of First Article Inspection. Approval letter(s) are required for First Article Inspection acceptance approval(s). When the blueprint allows for use of optional specifications only the quality clause for the selected specification shall apply.

### **QX106.0 (12/7/11) Welding - JSMC Test Lab**

Welding qualified at JSMC lab: hardware shall be welded using a welding process qualified by General Dynamics as defined in the supplier instructions QCS 83-9 and fabricated in accordance with specification \_\_\_\_\_. Weld samples and procedures shall be submitted to GDLS for prior approval. Supplier shall have an approval letter for each specific part number, and shall be presented at the time of First Article Inspection. Approval letter(s) are required for first piece inspection acceptance and

approval(s). When the blueprint allows for use of optional specifications only the quality clause for the selected specification shall apply.

### **QX111.3 (09/25/19) Weld Procedure - SD-X12141**

Welding procedure specification (WPS) and Procedure Qualification Record (PQR) to be used for production parts against this contract per specification SD-X12141 shall be furnished to the address listed below for approval at least two (2) weeks in advance of production welding. Supplier shall have an approval letter for each specific part number, and shall be presented at the time of first piece inspection. Approval letter(s) are required for First Article Inspection acceptance approval(s).

General Dynamics Land Systems Lima Assembly Tank Plant 1161 Buckeye Road Lima, Oh 45804 Attn: Material Control Laboratories
---

### **QX118.7 (09/25/17) Commercial Welding**

Weld joints within this assembly are to be qualified, implemented, and inspected in accordance with the Technical Data Package (TDP) (Eg., AWS, CSA). When there is no weld specification identified in the TDP, the requirements shall be governed by AWS D1.1/D1.3 for steel, AWS D1.2 for aluminum, or AWS D1.6 for stainless steel as applicable.

If a weld joint contains armor material, consult the GDLS contact at [weldlab@GDLS.com](mailto:weldlab@GDLS.com) or for GDLS-C purchase orders contact [ppap.fpi@GDLS.com](mailto:ppap.fpi@GDLS.com). If a weld joint contains Armor material and the drawing is not for the Stryker or the LAV vehicle family, refer to Quality Clause QX121.0 or consult GDLS contact at [weldlab@GDLS.com](mailto:weldlab@GDLS.com).

The supplier shall develop and maintain a weld qualification data package in accordance with the relevant weld specification. The data package shall be provided to the client address listed below at least two (2) weeks in advance of production welding. The weld qualification data package submitted shall contain at a minimum:

1. Weld Procedure Specification (WPS).
2. Procedure Qualification Record (PQR) with accompanying test results.
3. Welder Qualification Records.
4. Weld map, detailing which WPS(s) apply to each weld joint.  
(The following elements shall be provided upon request)
5. Visual inspection criteria/instructions in place.
6. Weld rework instructions in place.

GDLS approval letter(s) are required for First Article or First Piece Inspection (FAI or FPI) acceptance and approval(s). Supplier shall have an approval letter for each specific part number or applicable down component, at the time of FAI/FPI in accordance with Quality Clause QY11/QY12. Weld approval letters are considered valid from either of the issuing authorities (below) and are valid for (3) years from the approval date. The supplier is responsible for managing the expiry of the weld approval letters.

The weld qualification data package shall be submitted to the appropriate reviewing authority:

General Dynamics Land Systems  
Joint Systems Manufacturing Center  
Lima, OH 45804  
Attn: Material Control Laboratories  
Email: [weldlab@gdls.com](mailto:weldlab@gdls.com)

GDLS-C Originating Contracts/Purchase  
Orders  
Email: [ppap.fpi@gdls.com](mailto:ppap.fpi@gdls.com)  
Subject: QX118, Part Number, Part  
Revision, PO Number

### **QX1191.0 (09/25/19) AMS 2681 Electron Beam Welding**

A minimum of two (2) weld specimens for each machine using the welding procedure specifications (WPS) as established by the procuring activity per specification AMS 2681. The weld specimen, (WPS) and Procedure Qualification Record (PQR) shall be forwarded to the address listed below at least two (2) weeks in advance of production welding. Supplier shall have an approval letter for each specific part number, and shall be presented at the time of First Article Inspection. Approval letter(s) are required for First Article Inspection acceptance approval(s). A certification shall be supplied with the initial production shipment indicating compliance to specification AMS 2681 and that all data is on file and available upon request. The certification shall include signature, date, and the title of responsible supplier representative, and specifically identify the shipment it relates to, for instance, by reference to the shipper number.

General Dynamics Land Systems  
Lima Assembly Tank Plant  
1161 Buckeye Road  
Lima, Oh 45804  
Attn: Material Control Laboratories



## **QX121 (11/06/19) Armor Welding (Steel, Aluminum, Titanium) – Excluding Namer, Stryker and LAV Family**

Weld joints within this assembly are to be qualified, implemented, and inspected in accordance with the governing weld specification indicated in the Technical Data Package (TDP). Cancelled, replaced or inactive welding specifications, (eg. MIL-STD-1261, MIL-STD-1941, Ground Combat Vehicle Welding Code-Steel 12479550, Ground Combat Vehicle Welding Code-Aluminum 12472301) shall refer to the latest released specification indicated on the cancellation notice (eg. MIL-HDBK-1941 superseded with MIL-STD-3040), unless otherwise specified by GDLS.

Armor material is classified as any material that is governed by a military or internal GDLS armor material document (eg. MIL-DTL-12560, MIL-A-46100, MIL-DTL-46027). Weld joints within the assembly are to be qualified, implemented, and inspected in accordance with the current version of the applicable welding specification called out on the TDP.

Contractors are responsible for production weld quality and to ensure proper workmanship practices are being utilized on armor materials. Contractors must be knowledgeable and proficient with applicable welding specifications (ie: Ground Combat Vehicle Welding Code-Steel 12479550 or Ground Combat Vehicle Welding Code-Aluminum 12472301) and are not authorized to subcontract any contracted armor welding without GDLS approval.

A weld qualification data package consisting of the following elements shall be furnished as indicated below. The package shall include the name of the welder who performed the welds and the date the samples were tested. GDLS requires armor welding to utilize certain key essential variables based upon the type of armor material. GDLS will provide these key essential variables (ie: wire type) along applicable mechanical test data requirements. The contractor shall contact GDLS by emailing [weldlab@gdls.com](mailto:weldlab@gdls.com) to receive requirements for particular armor material. All applicable documentation shall include date of origin, applicable signatures, and shall include method of configuration control.

The weld qualification data package shall contain at a minimum:

1. Weld Procedure Specification (WPS) including all applicable key essential welding variables (filler wire, wire speed, travel speed, pre-heat, voltage, transfer mode, welding position) as required by applicable welding specification.
2. Procedure Qualification Record (PQR) with accompanying results (eg. X-Ray, Ultrasonic, Tensile and Bend testing).
3. Weld workmanship sample (macro section) for each unique joint and welding procedure. Joints may be grouped to minimize number of workmanship samples. Contractor shall consult with GDLS to ensure proper grouping. All workmanship samples shall be sent cut and prepared to a sufficient level to validate fusion.

4. Weld map, detailing which WPS(s) apply to each weld joint. Mapping is not required if a single WPS is used to fabricate the entire assembly.
5. Welder qualification test records.
6. Weld inspector qualification, or clarify if third party is being utilized.

The following elements shall be provided upon request:

7. Weld re-work instructions in place.

Welder qualification testing shall follow the applicable welding specification identified in the drawing; unless authorized by GDLS to allow alternate material. Contractor is responsible to ensure weld inspectors are certified to applicable requirements.

Rework / Repair or addition of any ballistic weld joint outside of the print specified location is not permitted. The supplier shall consult GDLS for MRB approval prior to any rework consideration. Rework examples include but are not limited to: mislocated appurtenances or welds, stray welds, arc strikes, and additional welds not mandated by the TDP.

Weld procedure documentation and / or specimens shall be furnished for any new welding procedure specifications (WPS) or when essential variables fall outside previously approved limits. Weld specimens shall be furnished to the address listed below at least two (2) weeks in advance of production welding. The specimens are to be fabricated using the submitted welding procedure specification (WPS). Following (WPS) approval; an official GDLS approval letter will be provided and shall be maintained by the supplier during the terms of the contract. GDLS approval and or authorization shall be presented at the time of first piece inspection. Parts that have not been in continuous production for 12 months require a new weld approval. Approval of previous welding procedures do not require resubmission of weld specimens, but require all other applicable documentation.

Joint Systems Manufacturing Center General Dynamics Land Systems 1161 Buckeye Road Lima, OH 45804 Attn: Material Control Laboratories
---

#### **QX14.4 (09/25/19) Weld Procedure - MIL-W-12332**

Welding procedure specifications (WPS) and Procedure Qualification Record to be used for production parts against this contract per specification MIL-W-12332 shall be furnished to the address listed below for approval at least two (2) weeks in advance of production welding. Supplier shall have an approval letter for each specific part number, and shall be presented at the time of First Article Inspection. Approval letter(s) are required for First Article Inspection acceptance approval(s).

General Dynamics Land Systems
-------------------------------

Lima Assembly Tank Plant  
1161 Buckeye Road  
Lima, Oh 45804  
Attn: Material Control Laboratories

#### **QX17.4 (09/25/19) Weld Procedure - MIL-W-45210**

Welding procedure specifications (WPS and Procedure Qualification Record) to be used for production parts against this contract per specification MIL-W-45210 shall be furnished to the address listed below for approval at least two (2) weeks in advance of production welding. Supplier shall have an approval letter for each specific part number, and shall be presented at the time of First Article Inspection. Approval letter(s) are required for First Article Inspection acceptance approval(s).

General Dynamics Land Systems  
Lima Assembly Tank Plant  
1161 Buckeye Road  
Lima, Oh 45804  
Attn: Material Control Laboratories

#### **QX47.0 (4/14/2011) Merkava Paint Application/Painter Qualification**

Paint shall be applied per Technical Instruction H-103 and/or H-107, as applicable per product drawing. If anti-skid paint is required (H-107), painter qualification shall be in accordance with Standard ORD-BM-9-0004.

#### **QX57.2 (01/10/14) Brazing and Soldering**

Brazed and soldered joints within this assembly are to be qualified, implemented and inspected in accordance with the Technical Data Package (TDP) brazing/soldering specification (Eg. AWS C3.4, C3.5, C3.11). When conforming to an AWS specification, qualification shall be in accordance with AWS B2.2/B2.3. When there is no brazing/soldering specification defined in the TDP, the manufacturer or contractor shall contact the buyer for direction.

The manufacturer or contractor shall develop and maintain a qualification data package in accordance with the relevant brazing/soldering specification. The data package shall be provided to the client address listed below at least two (2) weeks in advance of production brazing/soldering. The qualification data package submitted shall contain at a minimum:

1. Brazing/Soldering Procedure Specification(s) (BPS, SPS).
2. Brazing/Soldering Procedure Qualification Record(s) (BPQR, SPQR).
3. Brazing/Soldering Performance Qualification Record(s).
4. Braze/Solder map, detailing which BPS/SPS is applied to each joint.

GDLS-C approval letter(s) are required for first piece inspection acceptance and approval(s). Manufacturer or contractor shall have an approval letter for each specific part number or applicable down component, at the time of First Article or First Piece Inspection in accordance with Quality Clause QY11/QY12.

The brazing/soldering qualification data package shall be submitted to the appropriate client:

GDLS-C Originating Contracts
Email: <a href="mailto:ppap.fpi@gdls.com">ppap.fpi@gdls.com</a>
<i>Subject: QX57, Part Number, Part Revision, PO number</i>

### **QY10.2 (1/7/20) FLOWCHART/CONTROL PLAN (FC/CP)**

Prior to First Article or First Piece Inspection (FAI or FPI) a Process Flow Chart/Control Plan (FC/CP) is to be developed. A suggested sample format can be found in the PQA3000 or the supplier may use an existing format. This document is to be attached and submitted with the FAI/FPI request form (please refer to PQA3000). The request for FAI/FPI will not be processed without this document being completed. The FC/CP must provide a logical representation of the manufacturing process flow and process control points. This document can be used as an aid for work station development, identifying process control points, defining the methods being used at these control points, and must include all key product characteristics such as KPC/QARs/QAPs and all out sourcing identification.

A walk through of the manufacturing process to include a review of the FC/CP and work instructions should be anticipated as a means to validate process requirements. The FC/CP will be used as part of the Process/Product Validation at FAI/FPI and on future GDLS audits.

### **QY11.1 (1/7/20) First Article Inspection (QCS-16)**

The following First Article Inspection (FAI) requirements are applicable unless otherwise specified in the purchase order. Supplier shall perform FAI on one of

the first five pieces to be delivered and on each part number within an assembly as listed on the Parts List from the drawing. FAI shall be performed utilizing GDLS Form QCS-16 through QCS-16-3 available at [www.gdls.com](http://www.gdls.com). The First Article Inspection Report (FAIR) shall include objective evidence of compliance with all drawing requirements.

Upon completion of the supplier's inspection, the supplier shall notify the Buyer and/or cognizant GDLS SQA representative. Five (5) working days' notice shall be required for scheduling verification via [www.gdls.com](http://www.gdls.com) (reference PQA3000 for instructions). Always reference the online document for current requirements. Reference FAI Guide for conditions that require FAI. This guide is available at [www.gdls.com](http://www.gdls.com).

If supplier-developed automated test software is used as a means of functional product acceptance, the test software (not the firmware) must be approved by GDLS Quality Engineering & Test. Supplier instructions and requirements for test software review and validation are defined in GDLS document QCS-5. The test software shall be submitted to GDLS Quality Engineering & Test for review a minimum of 2 weeks prior to the scheduled FAI.

#### **QY12.1 (05/27/20) First Piece Inspection (QCS-16)**

A First Piece Inspection (FPI) is required as part of this purchase order. It is the supplier's responsibility to conduct a FPI on one of the first five pieces delivered under this order to verify conformance of all physical, chemical, and test requirements specified as part of this order. Upon completion of the inspection, the supplier shall notify the buyer and/or cognizant GD SQA representative. Objective evidence of this requirement shall be available and verified by GD prior to commencing shipments on this order. FPI shall be performed utilizing the GDLS QCS-16 Coversheet, and if applicable the QCS-16-2 NC Summary. Both forms are available at [www.gdls.com](http://www.gdls.com). Five working (5) days notice shall be required for scheduling verification via [www.gdls.com](http://www.gdls.com) (reference PQA3000 for instructions). If supplier-developed automated test software is used as a means of functional product acceptance, the test software (not the firmware) must be approved by GDLS Quality Engineering & Test.

Supplier instructions and requirements for test software review and validation are defined in GDLS document QCS-5. The test software shall be submitted to GDLS Quality Engineering & Test for review a minimum of 2 weeks prior to the scheduled FPI.

In the case of distributors, the requirement can be considered satisfied by presenting the GD SQA representative with a certificate of conformation from the manufacturer as long as it states objective evidence is on file and available. Manufacturers of QPL parts are only required to produce evidence of current qualifications for QPL parts. FPI is considered satisfied if the purchase order has

an active line item for a first article inspection or it has been completed as part of the first article test requirements.

FPI approval is considered extended by GD from one purchase order to the next provided that:

1. No configuration changes have occurred.
2. The part is manufactured at the same facility.
3. The manufacturing process has remained the same.
4. There has been no more than a one (1) year break in production.
5. No formal corrective action has been required.
6. The sub-tier suppliers and special process(es) have not changed.

SQA must be notified if any of the above conditions cannot be met. Objective evidence must be maintained demonstrating the above.

#### **QY14.1 (1/7/20) Merkava First Article Inspection**

A First Article Inspection (FAI) is required as part of this purchase order. It is the supplier's responsibility to conduct a FAI on the first five pieces delivered on this order to verify conformance of all physical, chemical, and test requirements specified as part of this order. Upon completion of the inspection, the supplier shall notify the buyer and/or cognizant GD SQA representative. Objective evidence of this requirement shall be available and verified by GD prior to any shipments on this order. A thirty (30) day notice shall be required for scheduling verification. FAI shall be performed in utilizing GDLS Form QCS-16 available at [www.gdls.com](http://www.gdls.com). Reference PQA3000 and FAI guide when completing FAI.

FAI verification due to a change will be required on one (1) piece in lieu of the five referenced above objective evidence must be maintained documenting the above.

#### **QY15.1 (10/10/2019) Material Compliance**

The Supplier's Part Number **must** be the same as the suggested source on a GDLS vendor item controlled drawing or reflect the part number on the GDLS purchase order. FAI/FPI submission only requires a Certificate of Conformance from the supplier that validates the supplier's part number complies with the supplier's own technical data package. Any substituted material will be in violation of the Purchase Order.

A GDLS issued Inspection Delegation stamp impression is not mandatory on the packing slip.

## **QY16.0 (7/14/2021) APQP/PPAP**

This item requires APQP/PPAP as specified in QCS-7: GDLS APQP/PPAP Guide for Suppliers, if so indicated by a purchase order line item. In the absence of an APQP/PPAP line item, the APQP/PPAP requirement does not apply to this purchase order. Document QCS-7: GDLS APQP/PPAP Guide for Suppliers is available at [www.GDLS.com](http://www.GDLS.com).

## **QY2.9 (11/29/18) FAT-QCS-4**

The supplier shall obtain First Article Approval (FAA) for this assembly or its subcomponents when a line item is included on this Purchase Order that requires the delivery of the final test report. The absence of this line item indicates that no FAA has been contracted or is required for this Purchase Order and a previous approval satisfies the Technical Data Package (TDP) requirements for FAA. First Article Approval will be granted upon successful completion of a First Article Inspection (FAI) and a First Article Test (FAT). Shipments under this Purchase Order prior to FAA are not allowed. FAI and FAT shall be conducted in accordance with the requirements of the TDP drawing, QAR/QAP, production function/fabrication specification and/or military specification and this Purchase Order. Additional supplier instructions for FAI are contained within GDLS Supplier Instruction QCS 83-4 and for FAT within QCS-4. Test sample selection shall be accomplished under the supervision of the Government. Government notification is required to allow test monitoring prior to test start (reference QCS-4, Section 4.2.1). Within 30 days of receiving the FAA requirement notification by activation of the FAA Purchase Order line item you must notify the GDLS Buyer of the test facility name, location, contact, phone number and purchase order/work authorization number.

## **QY2H.2 (9/26/01) First Article Test (HAB)**

(This quality clause is unique to the components supporting the heavy assault bridge (HAB) low rate initial production (LRIP) contract only).

The supplier shall obtain First Article Approval (FAA) for this assembly or subcomponents, when a line item is included on this purchase order that requires the delivery of the final test report. The absence of this line item indicates that no FAA has been contracted or is required for this purchase order and a previous approval satisfies the TDP requirements for FAA.

First article approval will be granted upon successful completion of a First Article Inspection (FAI) and a First Article Test (FAT). Shipments under this purchase order prior to first article approval are not allowed unless otherwise authorized by the procuring activity.

FAI and FAT shall be conducted in accordance with the requirements of the



technical data package (TDP) (drawing, QAR, production specification and or military specification) and this purchase order. Additional supplier instructions for FAI are contained within GDLS supplier instructions QCS 83-4 revision "F", dated July 2000, except section v, paragraph A. Instead, the first two (2) production pieces produced will be the FAI samples. Likewise for FAT within QCS-4, dated August 2001, except paragraphs 6.1 and 6.3. Instead the first two (2) production pieces produced will be new FAT samples, no destructive testing will be performed, and the FAT samples will be used in production upon successful completion of testing. Within thirty (30) days of receiving the FAA requirement notification, by activation of the FAA purchase order line item, supplier must notify the GDLS buyer of the test facility name, location, contact, phone number and purchase order/work authorization number.

### **QY3.7 (1/7/20) Control Test (QCS-4A)**

Supplier shall conduct Control Test examinations on this item or its subcomponents in accordance with the requirements of the Technical Data Package when a Control Test line item is included on this Purchase Order that requires the delivery of the final test certification. The absence of this line item indicates that no Control Test has been contracted or is required for this Purchase Order.

Specific supplier instructions and requirements for control test (s) and reports are contained within the attached QCS-4A. Hardware shipment prior to Control Test approval is not allowed.

### **QY4.2 (12/15/88) Control Inspection**

Control inspection required on a lot-by-lot basis for dimension and/or performance characteristics imposed per specific requirements of (\_\_\_\_\_). Frequency of inspection or test, inspection method and inspection results shall be documented and supplied with each hardware shipment to GDLS receiving plant.

### **QY32.0 (7/25/00) Process Certification**

Process and operator certification of the coating system by the procuring activity is required in accordance with specification 12292894, paragraph 3.9. Certification is required prior to processing material on this purchase order. In addition, certification shall be performed prior to the processing of each purchased lot of materials.

# ENGINEERING QUALITY REQUIREMENTS

## ENGINEERING QUALITY REQUIREMENTS

### **EQA3 – Quality System**

Revision: B Date: 1-MAR-17

The suppliers internal Quality System is acceptable for this item. The supplier is not required to have prior approval of their Quality System by General Dynamics Land Systems.

### **EQA4 – Approved Quality System**

Revision: E Date: 26-JUN-20

#### Requirement Description:

The supplier shall use a Quality System that is approved by General Dynamics Land Systems (GDLS) Engineering Quality Assurance for the goods/services to be provided.

#### Quality System Requirements:

1. If the supplier is third party registered to AS9100, ISO 9001, or TS16949, the supplier shall provide their current registration certificate to GDLS. If the supplier is not currently third party registered, GDLS Quality Assurance will perform a pre/post award assessment to evaluate the supplier's Quality System.
2. All measuring and test equipment used for final product acceptance shall be calibrated with certifications traceable to the National Institute for Standards and Technology (NIST).

### **EQB9 – Certificate of Conformance (COC)**

Revision: G Date: 26-JUN-20

#### Requirement Description:

The supplier shall furnish a COC with each shipment attesting that the goods/services meet all of the Technical Data Package requirements.

#### COC Requirements:

1. Signature, date and title of the responsible Quality representative or equivalent shall be included.

2. Data supporting the COC shall be kept on file and made available upon request.

Delivery Requirements:

1. The COC shall be uploaded for each shipment to the Purchase Order Line item within iSupplier. Navigate to [www.GDLS.com](http://www.GDLS.com) > Suppliers > iSupplier.
2. If the requirement is specified as non-deliverable (i.e., EQB9-ND) the COC shall be kept on file and made available upon request.

Non-conformance Requirements:

1. All non-conformances shall be dispositioned by GDLS prior to delivery.
2. All non-conformances shall be addressed on the GDLS Supplier Quality Material Report (SQMR). Navigate to [www.GDLS.com](http://www.GDLS.com) > Suppliers > Quality > SQMR Form.
3. The dispositioned SQMR shall be included with the COC.

## **EQB11 – Material Test Report (MTR)**

Revision: A Date: 26-JUN-20

Requirement Description:

The supplier shall furnish a Material Test Report (MTR) from the material manufacturer attesting that the material(s) meet all of the Technical Data Package requirements.

MTR Requirements:

1. The MTR shall include the name of the manufacturer, material specification, and size.
2. Chemical composition analysis and mechanical properties test results shall be included.
3. Material heat lot number shall be included.

Delivery Requirements:

1. The MTR shall be uploaded for each shipment to the Purchase Order Line item within iSupplier. Navigate to [www.GDLS.com](http://www.GDLS.com) > Suppliers > iSupplier.
2. If the requirement is specified as non-deliverable (i.e., EQB11-ND) the MTR shall be kept on file and made available upon request.

Non-conformance Requirements:

- 1 All non-conformances shall be dispositioned by GDLS prior to delivery.
- 2 All non-conformances shall be addressed on the GDLS Supplier Quality Material Report (SQMR). Navigate to [www.GDLS.com](http://www.GDLS.com) > Suppliers > Quality > SQMR Form.

## **EQC4 – First Piece Inspection (FPI) Report**

Revision: G Date: 26-JUN-20

### Requirement Description:

A complete verification is required to confirm the hardware being inspected per lot complies with the Technical Data Package requirements identified in the Purchase Order.

### FPI Report Requirements:

1. The FPI form shall be IAW SAE Aerospace Standard AS9102 Form 3 or equivalent.
2. Annotated/ballooned drawing shall be included.
3. All drawing notes shall be included.
4. Weld sizes and visual inspection of all welds shall be reported.
5. All GD&T characteristics including basic dimensions shall be included.
6. Supporting documentation (i.e., certifications for materials, special processes, etc.) shall be included.
7. FPI report(s) shall be included for all sub-assemblies and details.
8. Signature, date and title of the responsible Quality representative or equivalent shall be included.

### Delivery Requirements:

1. The FPI shall be uploaded for the first shipment to the Purchase Order Line Item within iSupplier. Navigate to [www.GDLS.com](http://www.GDLS.com) > Suppliers > iSupplier.
2. If the requirement is specified as non-deliverable (i.e., EQC4-ND) the FPI report package shall be kept on file and made available upon request.

### Non-conformance Requirements:

1. All nonconformance(s) shall be dispositioned by GDLS prior to delivery.
2. All nonconformance(s) shall be addressed on the GDLS Supplier Quality Material Report (SQMR). Navigate to [www.GDLS.com](http://www.GDLS.com) > Suppliers > Quality > SQMR Form.
3. The dispositioned SQMR shall be included with the FPI report.

### Additional Information:

Dimensional data and certifications are not required for fasteners unless otherwise specified. Data from Coordinate Measuring Machines (CMM) are not a substitute for the FPI report. Casting and forging x-rays shall be kept on file and made available upon request.

## **EQC5 – Electrical/Functional Test**

Revision: G Date: 26-JUN-20

### Requirement Description:

The supplier shall perform electrical and/or functional testing and furnish a copy of the results for each end item delivered.

#### Test Report Requirements:

1. The test data in supplier format shall address all characteristics required by the Technical Data Package and if required traceable by serial number.
2. Actual values are required except for those characteristics typically inspected with pass/fail criteria.
3. Signature, date and title of the responsible Quality representative or equivalent shall be included.

#### Delivery Requirements:

1. The test data shall be uploaded for each shipment to the Purchase Order Line Item within iSupplier. Navigate to [www.GDLS.com](http://www.GDLS.com) > Suppliers > iSupplier.
2. If the requirement is specified as non-deliverable (i.e., EQC5-ND) the test data shall be kept on file and made available upon request.

#### Non-conformance Requirements:

1. All non-conformances shall be dispositioned by GDLS prior to delivery.
2. All non-conformances shall be addressed on the GDLS Supplier Quality Material Report (SQMR). Navigate to [www.GDLS.com](http://www.GDLS.com) > Suppliers > Quality > SQMR Form.
3. The dispositioned SQMR shall be included with the test data.

## **EQD1 – Acceptance Test Procedure (ATP) & Acceptance Test Report (ATR)**

Revision: J Date: 6-AUG-20

#### Requirement Description:

The supplier shall develop and submit an ATP for approval prior to the final testing of hardware. A completed ATR shall be provided with each end item delivered.

#### ATP Requirements:

1. The ATP shall have a unique document number and shall be revision controlled.
2. Each test shall be cross referenced to the performance characteristic in the applicable specification or Technical Data Package (TDP).
3. Each performance characteristic shall be addressed with a detailed test method.
4. The test data recording format shall be identified (test data sheets are preferred). Actual values are required except for those characteristics typically inspected with pass/fail criteria.
5. A list of test equipment required to execute the ATP shall be included.
6. Diagrams or photographs of the test setup shall be included in the ATP.
7. Signature, date and title of responsible Quality representative or equivalent shall be included.

#### ATR Requirements:

1. The ATR shall identify the Purchase Order, Part Number and Serial Number if applicable of the end item being delivered.
2. Each test shall be cross referenced to the performance characteristic in the ATP.
3. A test equipment calibration log shall be included that identifies the nomenclature, serial number, last calibration date, and next calibration due date.
4. Signature, date and title of responsible Quality representative or equivalent shall be included.

#### Delivery Requirements:

1. The ATP shall be submitted for approval a minimum of 30 days prior to the first scheduled acceptance test to the following:  
GDLS Engineering Quality Assurance (EQA)  
c/o the GDLS Buyer identified on the Purchase Order
2. Any revisions to the ATP shall be submitted for approval prior to additional testing.
3. EQA written approval of the ATP shall be maintained on file by the supplier.
4. The ATR shall be uploaded for each shipment to the Purchase Order Line Item within iSupplier. Navigate to [www.GDLS.com](http://www.GDLS.com) > Suppliers > iSupplier.
5. When requested by EQA or otherwise required by the Purchase Order or Subcontract, the ATR shall be delivered electronically (preferably in PDF format) prior to end item acceptance.

#### Non-conformance Requirements:

1. All non-conformances shall be dispositioned by GDLS prior to delivery.
2. All non-conformances shall be addressed on the GDLS Supplier Quality Material Report (SQMR). Navigate to [www.GDLS.com](http://www.GDLS.com) > Suppliers > Quality > SQMR Form.
3. The dispositioned SQMR shall be included with the ATR.

#### Additional Information:

GDLS approval of supplier's test procedure does not relieve the supplier from meeting all requirements of the specifications, drawing and other technical data.

## **EQD2 – Source Acceptance**

Revision: E Date: 26-JUN-20

#### Requirement Description:

General Dynamics Land Systems (GDLS) requires source acceptance to be completed prior to shipment of end item.

#### Source Inspection Requirements:

1. The supplier shall notify GDLS five business days prior to the start of final acceptance test or inspection to allow for scheduling of the acceptance activity. Contact either Engineering Quality Assurance (EQA) or the GDLS Buyer identified on the Purchase Order.

2. All supporting documentation as required by the Purchase Order, Quality Requirements and any additional Technical Data Package requirements shall be readily available to support the source inspection.

## **EQE2 – Automated Test Equipment (ATE) Software Evaluation**

Revision: E Date: 26-JUN-20

### Requirement Description:

The supplier shall submit any ATE Software utilized as a means of functional product acceptance for approval prior to final acceptance testing of hardware.

### ATE Software Requirements:

The ATE Software shall be revision controlled. Revision control procedures are subject to GDLS audit.

### Delivery Requirements:

1. The ATE Software shall be submitted for approval a minimum of 30 days prior to final acceptance testing of hardware to the following:  
GDLS Engineering Quality Assurance (EQA)  
c/o the GDLS Buyer identified on the Purchase Order
2. Any revisions to the ATE Software shall be submitted for approval prior to additional testing.
3. EQA written approval of the ATE Software shall be maintained on file by the supplier.

### Additional Information:

The GDLS evaluation of ATE may include either a line by line review of the source code (or equivalent) or demonstration of the software operation by the supplier.

## **EQF3 – Weld Inspection & Welder Certifications**

Revision: B Date: 26-JUN-20

### Requirement Description:

The supplier shall perform a visual weld inspection and ensure Individual Welder Certification are IAW the applicable weld specifications.

### Visual Weld Inspection Requirements:

1. All welds shall be visually inspected and be free of cracks, overlap and undercut IAW the applicable specification in the Technical Data Package (TDP).
2. All welds shall be measured with suitable gages and documented in the First Piece Inspection (FPI) report per EQC4.
3. Visual inspection shall be aided by strong light, magnifiers or other equipment as the supplier deems suitable.

### Welder Certification Requirements:



1. Individual Welder Certifications shall be IAW the applicable specification in the TDP.
2. All welding shall be traceable to the certified individuals performing the work.
3. Weld records shall be maintained in supplier format and made available upon request.

#### Non-Destructive Test (NDT) Requirements:

1. Any NDT shall be conducted after visual inspection is complete.
2. NDT is required when specified by the TDP or may be conducted at the manufacturer's discretion.
3. NDT inspection shall be conducted utilizing liquid penetrant per ASTM E1417/E1417M or magnetic particle per ASTM E1444/E1444M with no cracks permissible.
4. Personnel performing NDT other than visual inspection shall be a certified:
  - a. CWI Level II inspector or
  - b. CWI Level I inspector working under the supervision of a Level II inspector.
5. Personnel performing NDT shall be qualified and certified IAW ASNT Personnel Qualification SNT-TC-1A ANSI/ASNT-CP-189 or NAS 410 for military purposes, or as specified in the contract or Purchase Order.

### **EQJ1 – Calibration Certification**

Revision: E Date: 26-JUN-20

#### Requirement Description:

The supplier shall furnish a certification with the shipment including data if available attesting that each item being delivered is calibrated and traceable to the National Institute for Standards and Technology (NIST).

### **EQK3 – High Strength Fastener Certification**

Revision: J Date: 26-JUN-20

#### Requirement Description:

The supplier shall ensure high strength fasteners are compliant to the Technical Data Package (TDP) for American Grade 5 (BC), Grade 8 (BD) or Metric Classes 8.8, 9.8, 10.9, 12.9 hex head and socket head fasteners, and procured from a manufacturer approved by GDLS.

#### High Strength Fastener Requirements:

1. The fasteners shall be traceable to a recognized manufacturing source (as identified by the bolt head logo) that is on the approved GDLS "Process to Supplier List". Contact the GDLS buyer identified on the Purchase Order to obtain the list of approved manufacturers.
2. The material certification shall document the actual material chemistry, core hardness or tensile strength and plating conformance.

#### Delivery Requirements:

The material certification shall be uploaded for each shipment to the Purchase Order Line Item within iSupplier. Navigate to [www.GDLS.com](http://www.GDLS.com) > Suppliers > iSupplier.

## **EQ118.7 Commercial Welding**

Revision: A Date: 16-Mar-22

Weld joints within this assembly are to be qualified, implemented, and inspected in accordance with the Technical Data Package (TDP) (Eg., AWS, CSA). When there is no weld specification identified in the TDP, the requirements shall be governed by AWS D1.1/D1.3 for steel, AWS D1.2 for aluminum, or AWS D1.6 for stainless steel as applicable.

If a weld joint contains armor material, consult the GDLS contact at [weldlab@GDLS.com](mailto:weldlab@GDLS.com) purchase orders. If a weld joint contains Armor material and the drawing is not for the Stryker or the LAV vehicle family, refer to Quality Clause EQ121.0 or consult GDLS contact at [weldlab@GDLS.com](mailto:weldlab@GDLS.com).

The supplier shall develop and maintain a weld qualification data package in accordance with the relevant weld specification. The data package shall be provided to the client address listed below at least two (2) weeks in advance of production welding. The weld qualification data package submitted shall contain at a minimum:

1. Weld Procedure Specification (WPS).
2. Procedure Qualification Record (PQR) with accompanying test results.
3. Welder Qualification Records.
4. Weld map, detailing which WPS(s) apply to each weld joint.  
(The following elements shall be provided upon request)
5. Visual inspection criteria/instructions in place.
6. Weld rework instructions in place.

GDLS approval letter(s) are required for First Piece Inspection (FPI) acceptance and approval(s). Supplier shall have an approval letter for each specific part number or applicable down component, at the time of FPI in accordance with Quality Clause, EQC4. Weld approval letters are considered valid from either of the issuing authorities (below) and are valid for (3) years from the approval date. The supplier is responsible for managing the expiry of the weld approval letters.

#### Delivery Requirements:

1. The WPS and weld approval letter for each part number shall be uploaded to the Purchase Order Line Item within iSupplier. Navigate to [www.GDLS.com](http://www.GDLS.com) > Suppliers > iSupplier.

#### Non-conformance Requirements:

1. All non-conformances shall be dispositioned by GDLS prior to delivery.

2. All non-conformances shall be addressed on the GDLS Supplier Quality Material Report (SQMR). Navigate to [www.GDLS.com](http://www.GDLS.com) > Suppliers > Quality > SQMR Form.
3. The dispositioned SQMR shall be included with the WPS and weld approval letter for each part number.

The weld qualification data package shall be submitted to the appropriate reviewing authority:

General Dynamics Land Systems  
Joint Systems Manufacturing Center  
Lima, OH 45804  
Attn: Material Control Laboratories  
Email: [weldlab@gdls.com](mailto:weldlab@gdls.com)

## **EQ121.0 Armor Welding**

Revision: A Date: 16-Mar-22

Weld joints within this assembly are to be qualified, implemented, and inspected in accordance with the governing weld specification indicated in the Technical Data Package (TDP). Cancelled, replaced or inactive welding specifications, (eg. MIL-STD-1261, MIL-STD-1941, Ground Combat Vehicle Welding Code-Steel 12479550, Ground Combat Vehicle Welding Code-Aluminum 12472301) shall refer to the latest released specification indicated on the cancellation notice (eg. MIL-HDBK-1941 superseded with MIL-STD-3040), unless otherwise specified by GDLS.

Armor material is classified as any material that is governed by a military or internal GDLS armor material document (eg. MIL-DTL-12560, MIL-A-46100, MIL-DTL-46027). Weld joints within the assembly are to be qualified, implemented, and inspected in accordance with the current version of the applicable welding specification called out on the TDP.

Contractors are responsible for production weld quality and to ensure proper workmanship practices are being utilized on armor materials. Contractors must be knowledgeable and proficient with applicable welding specifications (ie: Ground Combat Vehicle Welding Code-Steel 12479550 or Ground Combat Vehicle Welding Code-Aluminum 12472301) and are not authorized to subcontract any contracted armor welding without GDLS approval.

A weld qualification data package consisting of the following elements shall be furnished as indicated below. The package shall include the name of the welder who performed the welds and the date the samples were tested. GDLS requires armor welding to utilize certain key essential variables based upon the type of

armor material. GDLS will provide these key essential variables (ie: wire type) along applicable mechanical test data requirements. The contractor shall contact GDLS by emailing [weldlab@gdls.com](mailto:weldlab@gdls.com) to receive requirements for particular armor material. All applicable documentation shall include date of origin, applicable signatures, and shall include method of configuration control.

The weld qualification data package shall contain at a minimum:

1. Weld Procedure Specification (WPS) including all applicable key essential welding variables (filler wire, wire speed, travel speed, pre-heat, voltage, transfer mode, welding position) as required by applicable welding specification.
2. Procedure Qualification Record (PQR) with accompanying results (eg. X-Ray, Ultrasonic, Tensile and Bend testing).
3. Weld workmanship sample (macro section) for each unique joint and welding procedure. Joints may be grouped to minimize number of workmanship samples. Contractor shall consult with GDLS to ensure proper grouping. All workmanship samples shall be sent cut and prepared to a sufficient level to validate fusion.
4. Weld map, detailing which WPS(s) apply to each weld joint. Mapping is not required if a single WPS is used to fabricate the entire assembly.
5. Welder qualification test records.
6. Weld inspector qualification, or clarify if third party is being utilized.  
The following elements shall be provided upon request:
7. Weld re-work instructions in place.

Welder qualification testing shall follow the applicable welding specification identified in the drawing; unless authorized by GDLS to allow alternate material. Contractor is responsible to ensure weld inspectors are certified to applicable requirements.

Rework / Repair or addition of any ballistic weld joint outside of the print specified location is not permitted. The supplier shall consult GDLS for MRB approval prior to any rework consideration. Rework examples include but are not limited to: mislocated appurtenances or welds, stray welds, arc strikes, and additional welds not mandated by the TDP.

Weld procedure documentation and / or specimens shall be furnished for any new welding procedure specifications (WPS) or when essential variables fall outside previously approved limits. Weld specimens shall be furnished to the address listed below at least two (2) weeks in advance of production welding. The specimens are to be fabricated using the submitted welding procedure specification (WPS). Following (WPS) approval; an official GDLS approval letter will be provided and shall be maintained by the supplier during the terms of the contract. GDLS approval and or authorization shall be presented at the time of first piece inspection. Parts that have not been in continuous production for 12 months require a new weld approval. Approval of previous welding procedures do not require resubmission of weld specimens, but require all other applicable documentation.

Delivery Requirements:

1. The WPS and weld approval letter for each part number shall be uploaded to the Purchase Order Line Item within iSupplier. Navigate to [www.GDLS.com](http://www.GDLS.com) > Suppliers > iSupplier.

Non-conformance Requirements:

1. All non-conformances shall be dispositioned by GDLS prior to delivery.
2. All non-conformances shall be addressed on the GDLS Supplier Quality Material Report (SQMR). Navigate to [www.GDLS.com](http://www.GDLS.com) > Suppliers > Quality > SQMR Form.
3. The dispositioned SQMR shall be included with the WPS and weld approval letter for each part number.

Joint Systems Manufacturing Center General Dynamics  
Land Systems  
1161 Buckeye Road  
Lima, OH 45804  
Attn: Material Control Laboratories